

Engineered for efficiency. Designed for beauty.

KOHLER® bathroom sink faucets are designed with a greener future in mind, complying with a variety of environmental standards.


For more information on CALGreen, visit bsc.ca.gov.

For more information on the New York City Plumbing Code, visit nyc.gov.

Or go to savewateramerica.com for more information on our other high-efficiency products.



SaveWaterAmerica.com



THE BOLD LOOK
OF **KOHLER®**

Bathroom Sink Faucets



Faucet Family Name	Gallons per Minute	Water Savings*	Centerset	Widespread	Single-Hole	Wall-Mount	WaterSense-Labeled	CALGreen/GWA/NYC-Compliant
IV Georges Brass	1.5	30%	N/A	K-6811, K-6813	N/A	N/A	•	•
Alteo	1.5	30%	K-45100	K-45102	N/A	N/A	•	•
Antique	1.5	30%	N/A	K-108, K-280	K-139	K-T154 ¹	•	•
Archer	1.5	30%	K-11075	K-11076	N/A	N/A	•	•
Bancroft	1.5	30%	K-10579	K-10577	K-10579	N/A	•	•
Coralais	1.5	30%	K-15240, K-15241 K-15243, K-15182 K-15681	K-15261, K-15265	N/A	N/A	• ²	•
Devonshire	1.5	30%	K-393	K-394	N/A	N/A	•	•
Fairfax	1.5	30%	K-12181, K-12266	K-12265	K-12181, K-12182 K-12183	N/A	•	•
Falling Water	1.5	30%	N/A	N/A	N/A	K-T196, K-T197 K-T198, K-T199 ³	•	•
Finial Traditional	1.5	30%	N/A	K-310	N/A	K-T343, K-T344 ¹	•	•
Forté	1.5	30%	K-10215, K-10270	K-10272	K-10215, K-10217	N/A	•	•
Karbon	1.5	30%	N/A	K-6268 ⁴ , K-6274	N/A	K-6269, K-T6277 ¹	•	•
Kelston	1.5	30%	K-13490	K-13491	N/A	N/A	•	•
Margaux	1.5	30%	N/A	K-16232	K-16230, K-16231	N/A	•	•
Memoirs Stately	1.5	30%	K-452	K-454	N/A	K-T448 ¹	•	•
Oblo	1.5	30%	N/A	K-10086, K-10094	K-10085	K-10087	•	•
Panache	1.5	30%	N/A	N/A	K-18140	N/A	•	•
Pinstripe	1.5	30%	N/A	K-13132	N/A	N/A	•	•
Purist	1.5	30%	N/A	K-14406, K-14407 K-14408, K-14410	K-14402, K-14404	K-T14412, K-T14413 K-T14414, K-T14415 K-T14416, K-T14417 K-T14419 ¹	•	•
Refinia	1.5	30%	K-5316	K-5317	N/A	N/A	•	•
Revival	1.5	30%	K-16100	K-16102	N/A	K-T16106, K-T16107 ¹	•	•
Stance	1.5	30%	N/A	N/A	K-14760, K-14761	N/A	•	•
Stillness	1.5	30%	N/A	K-942	N/A	K-T944 ⁴ K-T945	•	•
Symbol	1.5	30%	N/A	N/A	K-19480, K-19774 K-19909	N/A	•	•
Taboret	1.5	30%	K-8201	K-8211, K8215	N/A	N/A	•	•
Toobi	1.5	30%	N/A	N/A	K-8959, K-8990	N/A	•	•

*Compared to a 2.2 gpm faucet

¹Product requires K-410-K-NA

²The following products are not WaterSense-labeled: K-15583, K-15592, K-15593, K-15595

³Falling Water Products require K-307-K-NA

⁴This is a remote valve application with a custom 2" drilling



IV Georges Brass® Widespread Bathroom Sink Faucet

K-6811-4



Alteo® Widespread Bathroom Sink Faucet

K-45102-4



Antique Single-Handle Bathroom Sink Faucet

K-139



Archer® Widespread Bathroom Sink Faucet

K-11076-4



Bancroft® Monoblock Bathroom Sink Faucet

K-10579-4



Coralais® Centerset Bathroom Sink Faucet

K-15241-4



Devonshire® Centerset Bathroom Sink Faucet

K-393-N4



Fairfax® Single-Handle Bathroom Sink Faucet

K-12182



Falling Water® Wall-Mount Bathroom Sink Faucet

K-T197/K-307-K



Finial® Traditional Widespread Bathroom Sink Faucet

K-310-4M



Forté® Single-Handle Bathroom Sink Faucet

K-10215-4



Karbon® Wall-Mount Bathroom Sink Faucet

K-6269-C12



Kelston® Widespread Bathroom Sink Faucet

K-13491-4



Margaux® Widespread Bathroom Sink Faucet

K-16232-3



Memoirs® Stately Centerset Bathroom Sink Faucet

K-452-4V



Oblo® Widespread Bathroom Sink Faucet

K-10086-9



Panache™ Single-Handle Bathroom Sink Faucet

K-18140



Pinstripe® Pure Widespread Bathroom Sink Faucet

K-13132-3A



Purist® Single-Handle Bathroom Sink Faucet

K-14402-4A



Refinia® Widespread Bathroom Sink Faucet

K-5317-4



WaterSense®-labeled faucets use at least 30% less water than standard 2.2 gpm faucets while still meeting strict performance guidelines.



Revival® Widespread
Bathroom Sink Faucet

K-16102-4A



Stance® Tall Single-Handle
Bathroom Sink Faucet

K-14761-4



Stillness® Widespread
Bathroom Sink Faucet

K-942-4



Symbol® Tall Single-Handle
Bathroom Sink Faucet

K-19774-4



Taboret® Widespread
Bathroom Sink Faucet

K-8211-4



Toobi™ Single-Handle
Bathroom Sink Faucet

K-8959-7



WaterSense®-labeled faucets use at least 30% less water than standard 2.2 gpm faucets while still meeting strict performance guidelines.